

# The Name of the Title is Hope

BEN TROVATO\* and G.K.M. TOBIN\*, Institute for Clarity in Documentation, USA

LARS THØRVÄLD, The Thørväld Group, Iceland

VALERIE BÉRANGER, Inria Paris-Rocquencourt, France

APARNA PATEL, Rajiv Gandhi University, India

HUIFEN CHAN, Tsinghua University, China

CHARLES PALMER, Palmer Research Laboratories, USA

JOHN SMITH, The Thørväld Group, Iceland

JULIUS P. KUMQUAT, The Kumquat Consortium, USA

A clear and well-documented  $\LaTeX$  document is presented as an article formatted for publication by ACM in a conference proceedings or journal publication. Based on the “acmart” document class, this article presents and explains many of the common variations, as well as many of the formatting elements an author may use in the preparation of the documentation of their work.

CCS Concepts: • **Computer systems organization** → **Embedded systems**; *Redundancy*; Robotics; • **Networks** → Network reliability.

Additional Key Words and Phrases: datasets, neural networks, gaze detection, text tagging

## ACM Reference Format:

Ben Trovato, G.K.M. Tobin, Lars Thørväld, Valerie Béranger, Aparna Patel, Huifen Chan, Charles Palmer, John Smith, and Julius P. Kumquat. 2018. The Name of the Title is Hope. *J. ACM* 37, 4, Article 111 (August 2018), 10 pages. <https://doi.org/XXXXXXXX.XXXXXXX>

## 1 INTRODUCTION

ACM’s consolidated article template, introduced in 2017, provides a consistent  $\LaTeX$  style for use across ACM publications, and incorporates accessibility and metadata-extraction functionality necessary for future Digital Library endeavors. Numerous ACM and SIG-specific  $\LaTeX$  templates have been examined, and their unique features incorporated into this single new template.

If you are new to publishing with ACM, this document is a valuable guide to the process of preparing your work for publication. If you have published with ACM before, this document provides insight and instruction into more recent changes to the article template.

---

\*Both authors contributed equally to this research.

---

Authors’ addresses: Ben Trovato, trovato@corporation.com; G.K.M. Tobin, webmaster@marysville-ohio.com, Institute for Clarity in Documentation, P.O. Box 1212, Dublin, Ohio, USA, 43017-6221; Lars Thørväld, The Thørväld Group, 1 Thørväld Circle, Hekla, Iceland, larst@affiliation.org; Valerie Béranger, Inria Paris-Rocquencourt, Rocquencourt, France; Aparna Patel, Rajiv Gandhi University, Rono-Hills, Doimukh, Arunachal Pradesh, India; Huifen Chan, Tsinghua University, 30 Shuangqing Rd, Haidian Qu, Beijing Shi, China; Charles Palmer, Palmer Research Laboratories, 8600 Datapoint Drive, San Antonio, Texas, USA, 78229, cpalmer@prl.com; John Smith, The Thørväld Group, 1 Thørväld Circle, Hekla, Iceland, jsmith@affiliation.org; Julius P. Kumquat, The Kumquat Consortium, New York, USA, jpkumquat@consortium.net.

---

Permission to make digital or hard copies of all or part of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies bear this notice and the full citation on the first page. Copyrights for components of this work owned by others than ACM must be honored. Abstracting with credit is permitted. To copy otherwise, or republish, to post on servers or to redistribute to lists, requires prior specific permission and/or a fee. Request permissions from [permissions@acm.org](mailto:permissions@acm.org).

© 2018 Association for Computing Machinery.

0004-5411/2018/8-ART111 \$15.00

<https://doi.org/XXXXXXXX.XXXXXXX>

The “acmart” document class can be used to prepare articles for any ACM publication — conference or journal, and for any stage of publication, from review to final “camera-ready” copy, to the author’s own version, with *very* few changes to the source.

## 2 TEMPLATE OVERVIEW

As noted in the introduction, the “acmart” document class can be used to prepare many different kinds of documentation — a double-blind initial submission of a full-length technical paper, a two-page SIGGRAPH Emerging Technologies abstract, a “camera-ready” journal article, a SIGCHI Extended Abstract, and more — all by selecting the appropriate *template style* and *template parameters*.

This document will explain the major features of the document class. For further information, the *LaTeX User’s Guide* is available from <https://www.acm.org/publications/proceedings-template>.

### 2.1 Template Styles

The primary parameter given to the “acmart” document class is the *template style* which corresponds to the kind of publication or SIG publishing the work. This parameter is enclosed in square brackets and is a part of the `documentclass` command:

```
\documentclass[STYLE]{acmart}
```

Journals use one of three template styles. All but three ACM journals use the `acmsmall` template style:

- `acmsmall`: The default journal template style.
- `acmlarge`: Used by JOCCH and TAP.
- `acmtog`: Used by TOG.

The majority of conference proceedings documentation will use the `acmconf` template style.

- `acmconf`: The default proceedings template style.
- `sigchi`: Used for SIGCHI conference articles.
- `sigchi-a`: Used for SIGCHI “Extended Abstract” articles.
- `sigplan`: Used for SIGPLAN conference articles.

### 2.2 Template Parameters

In addition to specifying the *template style* to be used in formatting your work, there are a number of *template parameters* which modify some part of the applied template style. A complete list of these parameters can be found in the *LaTeX User’s Guide*.

Frequently-used parameters, or combinations of parameters, include:

- `anonymous, review`: Suitable for a “double-blind” conference submission. Anonymizes the work and includes line numbers. Use with the `command` to print the submission’s unique ID on each page of the work.
- `authorversion`: Produces a version of the work suitable for posting by the author.
- `screen`: Produces colored hyperlinks.

This document uses the following string as the first command in the source file:

```
\documentclass[acmsmall, screen, review]{acmart}
```

## 3 MODIFICATIONS

Modifying the template — including but not limited to: adjusting margins, typeface sizes, line spacing, paragraph and list definitions, and the use of the `\vspace` command to manually adjust the vertical spacing between elements of your work — is not allowed.

**Your document will be returned to you for revision if modifications are discovered.**

#### 4 TYPEFACES

The “acmart” document class requires the use of the “Libertine” typeface family. Your  $\TeX$  installation should include this set of packages. Please do not substitute other typefaces. The “lmodern” and “ltimes” packages should not be used, as they will override the built-in typeface families.

#### 5 TITLE INFORMATION

The title of your work should use capital letters appropriately - <https://capitalizemytitle.com/> has useful rules for capitalization. Use the `title` command to define the title of your work. If your work has a subtitle, define it with the `subtitle` command. Do not insert line breaks in your title.

If your title is lengthy, you must define a short version to be used in the page headers, to prevent overlapping text. The `title` command has a “short title” parameter:

```
\title[short title]{full title}
```

#### 6 AUTHORS AND AFFILIATIONS

Each author must be defined separately for accurate metadata identification. As an exception, multiple authors may share one affiliation. Authors’ names should not be abbreviated; use full first names wherever possible. Include authors’ e-mail addresses whenever possible.

Grouping authors’ names or e-mail addresses, or providing an “e-mail alias,” as shown below, is not acceptable:

```
\author{Brooke Aster, David Mehldau}
\email{dave,judy,steve@university.edu}
\email{firstname.lastname@phillips.org}
```

The `authornote` and `authornotemark` commands allow a note to apply to multiple authors — for example, if the first two authors of an article contributed equally to the work.

If your author list is lengthy, you must define a shortened version of the list of authors to be used in the page headers, to prevent overlapping text. The following command should be placed just after the last `\author{}` definition:

```
\renewcommand{\shortauthors}{McCartney, et al.}
```

Omitting this command will force the use of a concatenated list of all of the authors’ names, which may result in overlapping text in the page headers.

The article template’s documentation, available at <https://www.acm.org/publications/proceedings-template>, has a complete explanation of these commands and tips for their effective use.

Note that authors’ addresses are mandatory for journal articles.

#### 7 RIGHTS INFORMATION

Authors of any work published by ACM will need to complete a rights form. Depending on the kind of work, and the rights management choice made by the author, this may be copyright transfer, permission, license, or an OA (open access) agreement.

Regardless of the rights management choice, the author will receive a copy of the completed rights form once it has been submitted. This form contains  $\LaTeX$  commands that must be copied into the source document. When the document source is compiled, these commands and their parameters add formatted text to several areas of the final document:

- the “ACM Reference Format” text on the first page.
- the “rights management” text on the first page.

Table 1. Frequency of Special Characters

Non-English or Math	Frequency	Comments
$\emptyset$	1 in 1,000	For Swedish names
$\pi$	1 in 5	Common in math
$\$$	4 in 5	Used in business
$\Psi_1^2$	1 in 40,000	Unexplained usage

- the conference information in the page header(s).

Rights information is unique to the work; if you are preparing several works for an event, make sure to use the correct set of commands with each of the works.

The ACM Reference Format text is required for all articles over one page in length, and is optional for one-page articles (abstracts).

## 8 CCS CONCEPTS AND USER-DEFINED KEYWORDS

Two elements of the “acmart” document class provide powerful taxonomic tools for you to help readers find your work in an online search.

The ACM Computing Classification System — <https://www.acm.org/publications/class-2012> — is a set of classifiers and concepts that describe the computing discipline. Authors can select entries from this classification system, via <https://dl.acm.org/ccs/ccs.cfm>, and generate the commands to be included in the  $\LaTeX$  source.

User-defined keywords are a comma-separated list of words and phrases of the authors’ choosing, providing a more flexible way of describing the research being presented.

CCS concepts and user-defined keywords are required for for all articles over two pages in length, and are optional for one- and two-page articles (or abstracts).

## 9 SECTIONING COMMANDS

Your work should use standard  $\LaTeX$  sectioning commands: `section`, `subsection`, `subsubsection`, and `paragraph`. They should be numbered; do not remove the numbering from the commands.

Simulating a sectioning command by setting the first word or words of a paragraph in boldface or italicized text is **not allowed**.

## 10 TABLES

The “acmart” document class includes the “booktabs” package — <https://ctan.org/pkg/booktabs> — for preparing high-quality tables.

Table captions are placed *above* the table.

Because tables cannot be split across pages, the best placement for them is typically the top of the page nearest their initial cite. To ensure this proper “floating” placement of tables, use the environment `table` to enclose the table’s contents and the table caption. The contents of the table itself must go in the `tabular` environment, to be aligned properly in rows and columns, with the desired horizontal and vertical rules. Again, detailed instructions on `tabular` material are found in the  *$\LaTeX$  User’s Guide*.

Immediately following this sentence is the point at which Table 1 is included in the input file; compare the placement of the table here with the table in the printed output of this document.

To set a wider table, which takes up the whole width of the page’s live area, use the environment `table*` to enclose the table’s contents and the table caption. As with a single-column table, this

Table 2. Some Typical Commands

Command	A Number	Comments
<code>\author</code>	100	Author
<code>\table</code>	300	For tables
<code>\table*</code>	400	For wider tables

wide table will “float” to a location deemed more desirable. Immediately following this sentence is the point at which Table 2 is included in the input file; again, it is instructive to compare the placement of the table here with the table in the printed output of this document.

Always use `midrule` to separate table header rows from data rows, and use it only for this purpose. This enables assistive technologies to recognise table headers and support their users in navigating tables more easily.

## 11 MATH EQUATIONS

You may want to display math equations in three distinct styles: inline, numbered or non-numbered display. Each of the three are discussed in the next sections.

### 11.1 Inline (In-text) Equations

A formula that appears in the running text is called an inline or in-text formula. It is produced by the `math` environment, which can be invoked with the usual `\begin . . . \end` construction or with the short form `$ . . . $`. You can use any of the symbols and structures, from  $\alpha$  to  $\omega$ , available in  $\LaTeX$  [24]; this section will simply show a few examples of in-text equations in context. Notice how this equation:  $\lim_{n \rightarrow \infty} x = 0$ , set here in in-line math style, looks slightly different when set in display style. (See next section).

### 11.2 Display Equations

A numbered display equation—one set off by vertical space from the text and centered horizontally—is produced by the `equation` environment. An unnumbered display equation is produced by the `displaymath` environment.

Again, in either environment, you can use any of the symbols and structures available in  $\LaTeX$ ; this section will just give a couple of examples of display equations in context. First, consider the equation, shown as an inline equation above:

$$\lim_{n \rightarrow \infty} x = 0 \tag{1}$$

Notice how it is formatted somewhat differently in the `displaymath` environment. Now, we’ll enter an unnumbered equation:

$$\sum_{i=0}^{\infty} x + 1$$

and follow it with another numbered equation:

$$\sum_{i=0}^{\infty} x_i = \int_0^{\pi+2} f \tag{2}$$

just to demonstrate  $\LaTeX$ ’s able handling of numbering.

## 12 FIGURES

The “figure” environment should be used for figures. One or more images can be placed within a figure. If your figure contains third-party material, you must clearly identify it as such, as shown in the example below.



Fig. 1. 1907 Franklin Model D roadster. Photograph by Harris & Ewing, Inc. [Public domain], via Wikimedia Commons. (<https://goo.gl/VLCRBB>).

Your figures should contain a caption which describes the figure to the reader.

Figure captions are placed *below* the figure.

Every figure should also have a figure description unless it is purely decorative. These descriptions convey what’s in the image to someone who cannot see it. They are also used by search engine crawlers for indexing images, and when images cannot be loaded.

A figure description must be unformatted plain text less than 2000 characters long (including spaces). **Figure descriptions should not repeat the figure caption – their purpose is to capture important information that is not already provided in the caption or the main text of the paper.** For figures that convey important and complex new information, a short text description may not be adequate. More complex alternative descriptions can be placed in an appendix and referenced in a short figure description. For example, provide a data table capturing the information in a bar chart, or a structured list representing a graph. For additional information

295 regarding how best to write figure descriptions and why doing this is so important, please see  
 296 <https://www.acm.org/publications/taps/describing-figures/>.

297

## 298 12.1 The “Teaser Figure”

299 A “teaser figure” is an image, or set of images in one figure, that are placed after all author and  
 300 affiliation information, and before the body of the article, spanning the page. If you wish to have  
 301 such a figure in your article, place the command immediately before the `\maketitle` command:

```
302 \begin{teaserfigure}
303   \includegraphics[width=\textwidth]{sampleteaser}
304   \caption{figure caption}
305   \Description{figure description}
306 \end{teaserfigure}
```

307

## 308 13 CITATIONS AND BIBLIOGRAPHIES

309 The use of  $\TeX$  for the preparation and formatting of one’s references is strongly recommended.  
 310 Authors’ names should be complete — use full first names (“Donald E. Knuth”) not initials (“D. E.  
 311 Knuth”) — and the salient identifying features of a reference should be included: title, year, volume,  
 312 number, pages, article DOI, etc.

313 The bibliography is included in your source document with these two commands, placed just  
 314 before the `\end{document}` command:

```
315 \bibliographystyle{ACM-Reference-Format}
316 \bibliography{bibfile}
```

317 where “bibfile” is the name, without the “.bib” suffix, of the  $\TeX$  file.

318 Citations and references are numbered by default. A small number of ACM publications have  
 319 citations and references formatted in the “author year” style; for these exceptions, please include  
 320 this command in the **preamble** (before the command “`\begin{document}`”) of your  $\LaTeX$  source:

```
321 \citestyle{acmauthoryear}
```

322 Some examples. A paginated journal article [2], an enumerated journal article [10], a reference  
 323 to an entire issue [9], a monograph (whole book) [23], a monograph/whole book in a series (see  
 324 2a in spec. document) [17], a divisible-book such as an anthology or compilation [12] followed  
 325 by the same example, however we only output the series if the volume number is given [13] (so  
 326 Editor00a’s series should NOT be present since it has no vol. no.), a chapter in a divisible book [35],  
 327 a chapter in a divisible book in a series [11], a multi-volume work as book [22], a couple of articles  
 328 in a proceedings (of a conference, symposium, workshop for example) (paginated proceedings  
 329 article) [3, 15], a proceedings article with all possible elements [34], an example of an enumerated  
 330 proceedings article [14], an informally published work [16], a couple of preprints [6, 7], a doctoral  
 331 dissertation [8], a master’s thesis: [4], an online document / world wide web resource [1, 28, 36], a  
 332 video game (Case 1) [27] and (Case 2) [26] and [25] and (Case 3) a patent [33], work accepted for  
 333 publication [30], ‘YYYYb’-test for prolific author [31] and [32]. Other cites might contain ‘duplicate’  
 334 DOI and URLs (some SIAM articles) [21]. Boris / Barbara Beeton: multi-volume works as books [19]  
 335 and [18]. A couple of citations with DOIs: [20, 21]. Online citations: [36–38]. Artifacts: [29] and [5].

337

## 338 14 ACKNOWLEDGMENTS

339 Identification of funding sources and other support, and thanks to individuals and groups that  
 340 assisted in the research and the preparation of the work should be included in an acknowledgment  
 341 section, which is placed just before the reference section in your document.

342 This section has a special environment:

343

```

344 \begin{acks}
345 ...
346 \end{acks}

```

347 so that the information contained therein can be more easily collected during the article metadata  
 348 extraction phase, and to ensure consistency in the spelling of the section heading.

349 Authors should not prepare this section as a numbered or unnumbered `\section`; please use the  
 350 “acks” environment.

351

## 352 15 APPENDICES

353 If your work needs an appendix, add it before the “`\end{document}`” command at the conclusion  
 354 of your source document.

355 Start the appendix with the “appendix” command:

```

356 \appendix

```

357 and note that in the appendix, sections are lettered, not numbered. This document has two appen-  
 358 dices, demonstrating the section and subsection identification method.

359

## 360 16 MULTI-LANGUAGE PAPERS

361 Papers may be written in languages other than English or include titles, subtitles, keywords and  
 362 abstracts in different languages (as a rule, a paper in a language other than English should include  
 363 an English title and an English abstract). Use `language=...` for every language used in the paper.  
 364 The last language indicated is the main language of the paper. For example, a French paper with  
 365 additional titles and abstracts in English and German may start with the following command

```

366 \documentclass[sigconf, language=english, language=german,
367                 language=french]{acmart}

```

368 The title, subtitle, keywords and abstract will be typeset in the main language of the paper. The  
 369 commands `\translatedXXX`, `XXX` begin title, subtitle and keywords, can be used to set these ele-  
 370 ments in the other languages. The environment `translatedabstract` is used to set the translation  
 371 of the abstract. These commands and environment have a mandatory first argument: the language  
 372 of the second argument. See `sample-sigconf-i13n.tex` file for examples of their usage.

373

## 374 17 SIGCHI EXTENDED ABSTRACTS

375 The “sigchi-a” template style (available only in  $\LaTeX$  and not in Word) produces a landscape-  
 376 orientation formatted article, with a wide left margin. Three environments are available for use  
 377 with the “sigchi-a” template style, and produce formatted output in the margin:

378 **sidebar:** Place formatted text in the margin.

379 **marginfigure:** Place a figure in the margin.

380 **margintable:** Place a table in the margin.

381

## 382 ACKNOWLEDGMENTS

383 To Robert, for the bagels and explaining CMYK and color spaces.

384

## 385 REFERENCES

- 386
- 387 [1] Rafal Ablamowicz and Bertfried Fauser. 2007. *CLIFFORD: a Maple 11 Package for Clifford Algebra Computations, version*  
 388 *11*. Retrieved February 28, 2008 from <http://math.tntech.edu/rafal/cliff11/index.html>
  - 389 [2] Patricia S. Abril and Robert Plant. 2007. The patent holder’s dilemma: Buy, sell, or troll? *Commun. ACM* 50, 1 (Jan.  
 390 2007), 36–44. <https://doi.org/10.1145/1188913.1188915>
  - 391 [3] Sten Andler. 1979. Predicate Path expressions. In *Proceedings of the 6th. ACM SIGACT-SIGPLAN symposium on Principles*  
 392 *of Programming Languages (POPL '79)*. ACM Press, New York, NY, 226–236. <https://doi.org/10.1145/567752.567774>



- 393 [4] David A. Anisi. 2003. *Optimal Motion Control of a Ground Vehicle*. Master's thesis. Royal Institute of Technology  
394 (KTH), Stockholm, Sweden.
- 395 [5] Sam Anzaroot and Andrew McCallum. 2013. *UMass Citation Field Extraction Dataset*. Retrieved May 27, 2019 from  
396 <http://www.iesl.cs.umass.edu/data/data-umasscitationfield>
- 397 [6] Sam Anzaroot, Alexandre Passos, David Belanger, and Andrew McCallum. 2014. Learning Soft Linear Constraints  
398 with Application to Citation Field Extraction. arXiv:1403.1349
- 399 [7] Lutz Bornmann, K. Brad Wray, and Robin Haunschild. 2019. Citation concept analysis (CCA)—A new form of citation  
400 analysis revealing the usefulness of concepts for other researchers illustrated by two exemplary case studies including  
401 classic books by Thomas S. Kuhn and Karl R. Popper. arXiv:1905.12410 [cs.DL]
- 402 [8] Kenneth L. Clarkson. 1985. *Algorithms for Closest-Point Problems (Computational Geometry)*. Ph. D. Dissertation.  
Stanford University, Palo Alto, CA. UMI Order Number: AAT 8506171.
- 403 [9] Jacques Cohen (Ed.). 1996. Special issue: Digital Libraries. *Commun. ACM* 39, 11 (Nov. 1996).
- 404 [10] Sarah Cohen, Werner Nutt, and Yehoshua Sagie. 2007. Deciding equivalences among conjunctive aggregate queries. *J.*  
405 *ACM* 54, 2, Article 5 (April 2007), 50 pages. <https://doi.org/10.1145/1219092.1219093>
- 406 [11] Bruce P. Douglass, David Harel, and Mark B. Trakhtenbrot. 1998. Statecharts in use: structured analysis and object-  
407 orientation. In *Lectures on Embedded Systems*, Grzegorz Rozenberg and Frits W. Vaandrager (Eds.). Lecture Notes in  
408 Computer Science, Vol. 1494. Springer-Verlag, London, 368–394. [https://doi.org/10.1007/3-540-65193-4\\_29](https://doi.org/10.1007/3-540-65193-4_29)
- 409 [12] Ian Editor (Ed.). 2007. *The title of book one* (1st. ed.). The name of the series one, Vol. 9. University of Chicago Press,  
410 Chicago. <https://doi.org/10.1007/3-540-09237-4>
- 411 [13] Ian Editor (Ed.). 2008. *The title of book two* (2nd. ed.). University of Chicago Press, Chicago, Chapter 100. <https://doi.org/10.1007/3-540-09237-4>
- 412 [14] Matthew Van Gundy, Davide Balzarotti, and Giovanni Vigna. 2007. Catch me, if you can: Evading network signatures  
413 with web-based polymorphic worms. In *Proceedings of the first USENIX workshop on Offensive Technologies (WOOT*  
414 *'07)*. USENIX Association, Berkeley, CA, Article 7, 9 pages.
- 415 [15] Torben Hagerup, Kurt Mehlhorn, and J. Ian Munro. 1993. Maintaining Discrete Probability Distributions Optimally. In  
416 *Proceedings of the 20th International Colloquium on Automata, Languages and Programming (Lecture Notes in Computer*  
417 *Science, Vol. 700)*. Springer-Verlag, Berlin, 253–264.
- 418 [16] David Harel. 1978. *LOGICS of Programs: AXIOMATICS and DESCRIPTIVE POWER*. MIT Research Lab Technical Report  
419 TR-200. Massachusetts Institute of Technology, Cambridge, MA.
- 420 [17] David Harel. 1979. *First-Order Dynamic Logic*. Lecture Notes in Computer Science, Vol. 68. Springer-Verlag, New York,  
421 NY. <https://doi.org/10.1007/3-540-09237-4>
- 422 [18] Lars Hörmander. 1985. *The analysis of linear partial differential operators. III*. Grundlehren der Mathematischen  
423 Wissenschaften [Fundamental Principles of Mathematical Sciences], Vol. 275. Springer-Verlag, Berlin, Germany.  
viii+525 pages. Pseudodifferential operators.
- 424 [19] Lars Hörmander. 1985. *The analysis of linear partial differential operators. IV*. Grundlehren der Mathematischen  
425 Wissenschaften [Fundamental Principles of Mathematical Sciences], Vol. 275. Springer-Verlag, Berlin, Germany.  
vii+352 pages. Fourier integral operators.
- 426 [20] IEEE 2004. IEEE TCSC Executive Committee. In *Proceedings of the IEEE International Conference on Web Services (ICWS*  
427 *'04)*. IEEE Computer Society, Washington, DC, USA, 21–22. <https://doi.org/10.1109/ICWS.2004.64>
- 428 [21] Markus Kirschmer and John Voight. 2010. Algorithmic Enumeration of Ideal Classes for Quaternion Orders. *SIAM J.*  
429 *Comput.* 39, 5 (Jan. 2010), 1714–1747. <https://doi.org/10.1137/080734467>
- 430 [22] Donald E. Knuth. 1997. *The Art of Computer Programming, Vol. 1: Fundamental Algorithms (3rd. ed.)*. Addison Wesley  
431 Longman Publishing Co., Inc.
- 432 [23] David Kosiur. 2001. *Understanding Policy-Based Networking* (2nd. ed.). Wiley, New York, NY.
- 433 [24] Leslie Lamport. 1986. *TEX: A Document Preparation System*. Addison-Wesley, Reading, MA.
- 434 [25] Newton Lee. 2005. Interview with Bill Kinder: January 13, 2005. Video. *Comput. Entertain.* 3, 1, Article 4 (Jan.-March  
435 2005). <https://doi.org/10.1145/1057270.1057278>
- 436 [26] Dave Novak. 2003. Solder man. Video. In *ACM SIGGRAPH 2003 Video Review on Animation theater Program: Part I -*  
437 *Vol. 145 (July 27–27, 2003)*. ACM Press, New York, NY, 4. <https://doi.org/99.9999/woot07-S422> <http://video.google.com/videoplay?docid=6528042696351994555>
- 438 [27] Barack Obama. 2008. A more perfect union. Video. Retrieved March 21, 2008 from [http://video.google.com/videoplay?](http://video.google.com/videoplay?docid=6528042696351994555)  
439 [docid=6528042696351994555](http://video.google.com/videoplay?docid=6528042696351994555)
- 440 [28] Poker-Edge.Com. 2006. Stats and Analysis. Retrieved June 7, 2006 from <http://www.poker-edge.com/stats.php>
- 441 [29] R Core Team. 2019. *R: A Language and Environment for Statistical Computing*. R Foundation for Statistical Computing,  
Vienna, Austria. <https://www.R-project.org/>
- [30] Bernard Rous. 2008. The Enabling of Digital Libraries. *Digital Libraries* 12, 3, Article 5 (July 2008). To appear.

- 442 [31] Mehdi Saeedi, Morteza Saheb Zamani, and Mehdi Sedighi. 2010. A library-based synthesis methodology for reversible  
443 logic. *Microelectron. J.* 41, 4 (April 2010), 185–194.
- 444 [32] Mehdi Saeedi, Morteza Saheb Zamani, Mehdi Sedighi, and Zahra Sasanian. 2010. Synthesis of Reversible Circuit Using  
445 Cycle-Based Approach. *J. Emerg. Technol. Comput. Syst.* 6, 4 (Dec. 2010).
- 446 [33] Joseph Scientist. 2009. The fountain of youth. Patent No. 12345, Filed July 1st., 2008, Issued Aug. 9th., 2009.
- 447 [34] Stan W. Smith. 2010. An experiment in bibliographic mark-up: Parsing metadata for XML export. In *Proceedings of the*  
448 *3rd. annual workshop on Librarians and Computers (LAC '10, Vol. 3)*, Reginald N. Smythe and Alexander Noble (Eds.).  
449 Paparazzi Press, Milan Italy, 422–431. <https://doi.org/99.9999/woot07-S422>
- 450 [35] Asad Z. Spector. 1990. Achieving application requirements. In *Distributed Systems* (2nd. ed.), Sape Mullender (Ed.).  
451 ACM Press, New York, NY, 19–33. <https://doi.org/10.1145/90417.90738>
- 452 [36] Harry Thornburg. 2001. *Introduction to Bayesian Statistics*. Retrieved March 2, 2005 from <http://ccrma.stanford.edu/~jos/bayes/bayes.html>
- 453 [37] TUG 2017. *Institutional members of the T<sub>E</sub>X Users Group*. Retrieved May 27, 2017 from <http://wwtug.org/instmemb.html>
- 454 [38] Boris Veysman. 2017. *acmart—Class for typesetting publications of ACM*. Retrieved May 27, 2017 from <http://www.ctan.org/pkg/acmart>

## 455 A RESEARCH METHODS

### 456 A.1 Part One

457 Lorem ipsum dolor sit amet, consectetur adipiscing elit. Morbi malesuada, quam in pulvinar varius,  
458 metus nunc fermentum urna, id sollicitudin purus odio sit amet enim. Aliquam ullamcorper eu  
459 ipsum vel mollis. Curabitur quis dictum nisl. Phasellus vel semper risus, et lacinia dolor. Integer  
460 ultricies commodo sem nec semper.

### 463 A.2 Part Two

464 Etiam commodo feugiat nisl pulvinar pellentesque. Etiam auctor sodales ligula, non varius nibh  
465 pulvinar semper. Suspendisse nec lectus non ipsum convallis congue hendrerit vitae sapien. Donec  
466 at laoreet eros. Vivamus non purus placerat, scelerisque diam eu, cursus ante. Etiam aliquam tortor  
467 auctor efficitur mattis.

## 469 B ONLINE RESOURCES

470 Nam id fermentum dui. Suspendisse sagittis tortor a nulla mollis, in pulvinar ex pretium. Sed  
471 interdum orci quis metus euismod, et sagittis enim maximus. Vestibulum gravida massa ut felis  
472 suscipit congue. Quisque mattis elit a risus ultrices commodo venenatis eget dui. Etiam sagittis  
473 eleifend elementum.

474 Nam interdum magna at lectus dignissim, ac dignissim lorem rhoncus. Maecenas eu arcu ac  
475 neque placerat aliquam. Nunc pulvinar massa et mattis lacinia.

476  
477  
478  
479  
480  
481  
482  
483  
484  
485  
486  
487  
488  
489  
490